

JRC21N0219-1 RUD-210127HESNZ

This is to certify that the nominated size and quality of the following AMG product has been manufactured, inspected and tested to conform to EN818-2 with the following results.

# MILL/TEST CERTIFICATE

G80 8mm Black Electrphorectic painted Lifting Chain

Description:

WLL: 2000kg

Batch Number: 5132

Date: 28/06/21

Proof Load: 50.3K/N

Breaking Load: 85.3 K/N

Elongation: 20.5%

# SIZE

| D  | L    | В    | b  |  |
|----|------|------|----|--|
| mm | mm   | mm   | mm |  |
| 8  | 24.0 | 27.5 |    |  |

# **CHEMICAL COMPOSITION**

| C    | Si   | Mn   | P     | S     | Cr   | Ni   | AI    |
|------|------|------|-------|-------|------|------|-------|
| 0.21 | 0.31 | 1.02 | 0.010 | 0.001 | 0.54 | 0.43 | 0.037 |
|      |      |      |       |       |      |      |       |

**Authorised Signatory** 

lankallon.

Manufactured, Inspected and Tested for and on behalf of:



JRC21N0219-1 RUD-210127HESNZ

This is to certify that the nominated size and quality of the following AMG product has been manufactured, inspected and tested to conform to EN818-2 with the following results.

# MILL/TEST CERTIFICATE

G80 10mm Black Electrphorectic painted Lifting Chain

Description: Lifting C

WLL: 3150kg

Batch Number: 5132

Date: 28/06/21

Proof Load: 78.5K/N

Breaking Load: 133.2 K/N

Elongation: 21%

# **SIZE**

| D  | L      | В    | b  |  |
|----|--------|------|----|--|
| mm | mm     | mm   | mm |  |
| 10 | 30.0.0 | 34.5 |    |  |

# **CHEMICAL COMPOSITION**

| C    | Si   | Mn   | P     | S     | Cr   | Ni   | ΑI    |
|------|------|------|-------|-------|------|------|-------|
| 0.22 | 0.24 | 1.05 | 0.010 | 0.006 | 0.54 | 0.48 | 0.032 |
|      |      |      |       |       |      |      |       |

**Authorised Signatory** 

lankallon.

Manufactured, Inspected and Tested for and on behalf of:



JRC21N0219-1 RUD-210127HESNZ

This is to certify that the nominated size and quality of the following AMG product has been manufactured, inspected and tested to conform to EN818-2 with the following results.

# MILL/TEST CERTIFICATE

G80 16mm Black Electrphorectic painted Lifting Chain

Description: Lifting C

WLL: 8000kg

Batch Number: 5132

Date: 28/06/21

Proof Load: 201.0K/N

Breaking Load: 332.50 K/N

Elongation: 22%

# SIZE

| D  | L    | В    | b  |  |
|----|------|------|----|--|
| mm | mm   | mm   | mm |  |
| 16 | 48.0 | 55.5 |    |  |

# **CHEMICAL COMPOSITION**

| C   | Si   | Mn   | P     | S     | Cr   | Ni   | AI    |
|-----|------|------|-------|-------|------|------|-------|
| 022 | 0.28 | 1.09 | 0.015 | 0.004 | 0.45 | 0.43 | 0.035 |
|     |      |      |       |       |      |      |       |

**Authorised Signatory** 

Sankallon.

Manufactured, Inspected and Tested for and on behalf of:



JRC21N0219-1 RUD-210127HESNZ

This is to certify that the nominated size and quality of the following AMG product has been manufactured, inspected and tested to conform to EN818-2 with the following results.

# MILL/TEST CERTIFICATE

G80 6mm Black Electrphorectic painted Lifting Chain

Description: Lifting

WLL: 1120kg

Batch Number: 5132

Date: 28/06/21

Proof Load: 28.3K/N

Breaking Load: 47.4 K/N

Elongation: 20%


# SIZE

| D   | L    | В    | b  |  |
|-----|------|------|----|--|
| mm  | mm   | mm   | mm |  |
| 6.0 | 18.0 | 21.0 |    |  |

# **CHEMICAL COMPOSITION**

| С    | Si   | Mn   | P     | S     | Cr   | Ni   | AI    |
|------|------|------|-------|-------|------|------|-------|
| 0.20 | 0.27 | 1.06 | 0.009 | 0.009 | 0.55 | 0.44 | 0.030 |
|      |      |      |       |       |      |      |       |

**Authorised Signatory** 



Manufactured, Inspected and Tested for and on behalf of: