

TEST CERTIFICATE

This is to certify that the nominated size and quality of the following SLR product has been inspected and tested with following results.

Page 1

CE

Customer Sold To: HES NZ Ltd 3 HEB PLACE TAKANINI, AUCKLAND. 2105. NZ

Order:	5480	Test Standard:	Enterprise Standard
Invoice:	37101	Certificate No:	SLR20597
Material:		Works Ref No:	21/4684#-3
Date:	27/04/2022	Batch :	22-1
Brand	SLR	Buyer Order No:	210128HESNZ

(pcs)	Test Quantity (pcs)	Working Load Limit (ton) / WLL	Standard Breakage Force (ton) / BF	Fact Breakage Force (ton) / BF
50	1	1.6T	6.4T	6.56 T
60	2	2.7T	10.8T	10.88T、11.27T
50	1	3.5T	14T	14.36T
30	1	5.5T	22T	22.06T
40	1	9.4T	37.6T	37.69T
10	1	4.6T	18.4T	18.53T
400	3	1.12T	4.48T	4.52T、4.55T、4.58T
390	3	2T	8T	8.29T、8.2T、8.14T
140	3	3.15T	12.6T	12.82T、13.02T、12.87T
150	3	1.12T	4.48T	4.53T、4.56T、4.6T
120	3	2T	8Т	8.19T、8.05T、8.2T
18	1	8T	32T	32.16T
75	2	2T	8Т	8.2T、8.07T
24	1	3.15T	12.6T	13.09T
20	1	1.12T	4.48T	4.55T
30	1	2Т	8Т	8.14T
30	1	3.15T	12.6T	12.73T
36	1	5.3T	21.2T	21.4T
9	1	8T	32T	32.3T
3	1	12.5T	50 T	50.41T
250	3	0.4T	1.6T	1.65T、1.63T、1.62T
	3			8.11T、 8.1T、8.07T
	3			16.24T、16.3T、16.15T
				20.27T
				24.3T、24.2T、24.16T
80	2	8T	32T	32.39T、32.38T
10	1	12T	48T	48.25T
10	1	16T	64T	64.32T
12	1	32T	128T	128.15T
200	3	2T	8Т	8.02T、8.16T、8.12T
320	3	4T	16T	16.04T、16.05T、16.14T
150	3	6Т	24T	24.25T、24.17T、24.2T
125	3	8T	32T	32.16T、32.14T、32.28T
15	1	12T	48T	48.31T
8	1	16T	64T	64.2T
10		24T	96T	96.49T
15	- u /			12.68T
				8.04T、8.15T、8.18T
60	2		12.6T	12.96T、12.77T
	-			21.28T
				8.2T、8.13T、8.07T
90	2	3.15T	12.6T	13.06T、12.86T
100	2		4.48T	4.51T、4.56T
				8.08T、8.34T、8.16T
				12.94T、13.06T、12.67T
	-			21.4T
				32.15T
120	3	2T	8T	8.2T、8.07T、8.12T
			~ 1	
	50 50 60 50 60 50 30 40 10 400 390 140 150 120 18 75 24 20 30 36 9 3 250 300 300 200 200 200 300 300 200 300 10 12 200 320 100 125 60 32 160 32 160 32 160 32 160 30 30 30 30 <tr td=""></tr>	(pcs) 50 1 60 2 50 1 30 1 40 1 10 1 400 3 3390 3 140 3 150 3 140 3 150 3 120 3 18 1 75 2 24 1 200 1 300 1 36 1 9 1 300 1 36 1 9 1 300 3 300 3 300 3 300 3 10 1 12 1 200 3 320 3 15 1 125 3 15 1	(pcs) WLL 50 1 1.6T 60 2 2.7T 50 1 3.6T 30 1 5.6T 40 1 9.4T 10 1 4.6T 400 3 1.12T 390 3 2T 140 3 3.15T 150 3 1.12T 120 3 2T 18 1 8T 75 2 2T 24 1 3.15T 30 1 2.15T 30 1 3.15T 30 3 2T 300 3 2T 300 3 2T 300 3	WLL (ton) / BF 50 1 1.6T 6.4T 60 2 2.7T 10.8T 50 1 3.5T 14T 30 1 5.5T 22T 40 1 9.4T 37.6T 10 1 4.6T 18.4T 400 3 1.12T 4.48T 390 3 2T 8T 140 3 3.15T 12.6T 150 3 1.12T 4.48T 120 3 2T 8T 18 1 8T .32T 75 2 2T 8T 30 1 2.15T 12.6T 30 1 3.16T 12.6T 300

SLR-106 WELDED HOOK LIGHT TYPE 2T	60	2	2Т	10T	10.16T、10.22T
SLR-106 WELDED HOOK LIGHT TYPE 3.2T	150	3	3.2T	16T	16.12T、16.15T、16.2T
SLR-106 WELDED HOOK LIGHT TYPE 5.3T	112	3	5.3T	26.5T	26.94T、26.73T、26.8T
SLR-106 WELDED HOOK LIGHT TYPE 8T	24	1	8T	40T	40.32T
SLR-237 CLEVIS SLIP HOOK 7/8-8	50	1	2T	8T	8.1T
SLR-237 CLEVIS SLIP HOOK 10-8	20	1	3.15T	12.6T	12.65T
SLR-507 CLEVIS FOUNDRY HOOK 13-8	10	1	5.3T	21.2T	21.33T
SLR-270 CLEVIS REEVING LINK 10-8	100	2	3.15T	12.6T	12.94T、12.97T
SLR-270 CLEVIS REEVING LINK 13-8	70	2	5.3T	21.2T	21.29T、21.33T
SLR-303 LIFTING SCREW POINT M8*13	50	1	0.3T	1.2T	1.48T
SLR-303 LIFTING SCREW POINT M12*18	40	1	0.5T	2T	2.04T
SLR-303 LIFTING SCREW POINT M16*40	60	2	1.12T	4.48T	4.52T、4.56T
SLR-303 LIFTING SCREW POINT M16*100	60	2	1.12T	4.48T	4.97T、4.63T
SLR-303 LIFTING SCREW POINT M20*30	20	1	2T	8T	8.05T
SLR-303 LIFTING SCREW POINT M20*120	15	1	2Т	8T	8.07T
SLR-313 CLEVIS SHORTENING HOOK 6-8	100	2	1.12T	4.48T	4.58T、4.63T
SLR-344 D RING 1T	440	3	1.12T	4.48T	4.63T、4.57T、4.55T
SLR-344 D RING 2T	420	3	2T	8T	8.11T、8.2T、8.16T
SLR-344 D RING 3T	500	3	3.15T	12.6T	12.86T、12.64T、12.78T
SLR-344 D RING 5T	450	3	5.3T	21.2T	21.33T、21.52T、21.4T
SLR-344 D RING 8T	50	1	8Т	32T	32.24T
SLR-344 D RING 15T	20	1	15T	60T	60.23T
SLR-788 SWIVEL HOOK WITH BEARING 7/8-8	60	2	2T	8T	8.02T、8.15T
SLR-788 SWIVEL HOOK WITH BEARING 10-8	40	1	3.15T	12.6T	12.77T
SLR-788 SWIVEL HOOK WITH BEARING 13-8	40	1	5.3T	21.2T	21.28T
SLR-788 SWIVEL HOOK WITH BEARING 16-8	30	1	8Т	32Т	32.15T
SLR-788 SWIVEL HOOK WITH BEARING 18/20-8	6	1	12.5T	50 T	50.03T
SLR-617 LIFTZHG CLUTCH 1-1.3T	210	3	1.3T	6.5T	6.52T、6.54T、6.6T
SLR-617 LIFTZHG CLUTCH 1.5-2.5T	160	3	2.5T	12.5T	12.73T、12.86T、12.61T
SLR-617 LIFTZHG CLUTCH 3-5T	70	2	5T	25T	25.23T、25.19T
SLR-633 CONTAINER HOOK LEFT TYPE 12.5T	64	2	12.5T	50T	50.22T、50.3T
SLR-633 CONTAINER HOOK RIGHT TYPE 12.5T	64	2	12.5T	50 T	50.4T、50.39T
SLR-633 CONTAINER HOOK STRAIGHT TYPE 12.5T	4	1	12.5T	50T	50.26T

Order:			5480)	Test Standard:	EN1677	
Invoice:			3710	37101 Certifica No:		SLR20597	
Material:					Works Ref	21/4684#-3	
Date:			27/04/2	022	Batch :	22-1	
Brand			SLR		Buyer Ord No:	er 210128HESNZ	
SLR-74 CONNECTING LINK 6-8	1200	6	1.12T		4.48T	4.5T、4.52T、4.6T、4.54T、4.62T、4.56T	
SLR-74 CONNECTING LINK 7/8-8	1500	6	2T		8T	8.12T、8.04T、8.17T、8.3T、8.08T、8.1T	
SLR-74 CONNECTING LINK 10-8	720	4	3.15T		12.6T	12.84T、13.06T、12.86T、12.66T	
SLR-74 CONNECTING LINK 13-8	420	3	5.3T		21.2T	21.33T、21.28T、21.4T	
SLR-74 CONNECTING LINK 16-8	300	3	8T		32T	32.1T、32.08T、32.49T	
SLR-74 CONNECTING LINK 26-8	120	3	21.2T		84.8T	84.95T、85.27T、85.2T	
SLR-1 WEBBING CONNECTING LINK 7/8-8	240	3	2Т	т 8т		8.05T、8.12T、8.08T	
SLR-1 WEBBING CONNECTING LINK 10-8-B	120	3	3.15T	12.6T		13.02T、13T、13.07T	
SLR-1 WEBBING CONNECTING LINK 13-8	60	2	5.3T		21.2T	21.53T、21.41T	
SLR-887 ANCHOR SHACKLE 6-8-C	1000	5	1.12T		4.48T	4.55T、4.61T、4.5T、4.57T、4.62T	
SLR-887 ANCHOR SHACKLE 8-8-C	2095	6	2Т		8Т	8.2T、8.23T、8.08T、8.03T、8.15T、8.12T	
SLR-887 ANCHOR SHACKLE 10-8-C	300	3	3.15T		12.6T	12.94T、13.06T、12.62T	
SLR-887 ANCHOR SHACKLE 13-8-C	495	3	8T		32T	32.1T、32.2T、32.17T	

Manufactured, Inspected and Tested for and on behalf of:

42 Clements Avenue Bundoora Vic Aust Bundoora Victoria 3083 Australia

