

Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 2 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AA		GPGHBB10 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 10 mm, diameter pin 11 mm, WLL 1 ton	50	19.03.2013	2	1

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 3 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AA		GPGHBB11 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 11 mm, diameter pin 13 mm, WLL 1.5 ton	50	09.04.2013	3	1.5

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form: KF-10-14B Issue date: 10.07.2013



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 4 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AB	AS	GPGHBB13 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 13.5 mm, diameter pin 16 mm, WLL 2 ton	50	28.03.2013	4	2
1	1			I		

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 5 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AB 6 GP	AR GP 6	GPGHBB16 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 16 mm, diameter pin 19 mm, WLL 3.25 ton	60	29.01.2013	6.5	3.25

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 6 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

examil	of test and ination Min. proofload (T)	Working load limit (T)
AA 6 GP AR GP 6 GPGHBB19 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 19 mm, diameter pin 22 mm, WLL 4.75 ton	3.2013 9.5	4.75

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 7 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AB	GP 6 AR	GPGHBB22 G-4161, Green Pin® Standard Shackles, bow shackles with screw collar pin, to EN13889, hot dipped galvanized, diameter bow 22 mm, diameter pin 25 mm, WLL 6.5 ton	70	28.02.2013	13	6.5

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



VAT number NL 0091.33.835.B01, Chamber of Commerce Rotterdam - No. 23009317. All our offers and contracts are subject to c General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 8 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)





Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 10 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AA		GPGHMB11 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 11 mm, diameter pin 13 mm, WLL 1.5 ton	25	18.09.2012	3	1.5

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 11 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

AA 6 GP GP 6 AR GPGHMB13 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 13.5 mm, diameter pin 16 mm, WLL 2 ton	Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
	AA 6 GP	GP 6 AR	G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 13.5 mm, diameter pin 16		16.04.2013	4	2

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 12 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AC	AT	GPGHMB16 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 16 mm, diameter pin 19 mm, WLL 3.25 ton	20	31.05.2013	6.5	3.25

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)

Issue date: 10.07.2013



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form: KF-10-14B



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 13 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AC	AS	GPGHMB19 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 19 mm, diameter pin 22 mm, WLL 4.75 ton	30	16.05.2013	9.5	4.75

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 14 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AC	AT	GPGHMB22 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 22 mm, diameter pin 25 mm, WLL 6.5 ton	65	13.05.2013	13	6.5

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)

Issue date: 10.07.2013



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.

Form: KF-10-14B Issue date: 1



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 15 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
AC	AT	GPGHMB25 G-4163, Green Pin® Standard Shackles, bow shackles with safety bolt, to EN13889, hot dipped galvanized, diameter bow 25 mm, diameter pin 28 mm, WLL 8.5 ton	10	05.04.2013	17	8.5

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.



Allan Marketing Group PO Box 306 3101 Kew Australia

MANUFACTURER TEST CERTIFICATE

 Number
 80072342
 Date
 10.07.2013

 Customer no.
 33068
 Page
 18 / 18

Our order no.	Your ref. no.
107744	VBS-130701AMG

Traceability Bow	Traceability Pin	Description	Qty.	Date of test and examination	Min. proofload (T)	Working load limit (T)
M1	M1	SLGPF0040 P-6033, Green Pin® Sling Shackles, bow shackles with safety bolt, painted: bow silver, pin green, diameter body 55 mm, diameter pin 51 mm, WLL 40 ton	4	21.03.2013	80	40

EC Declaration of conformity in accordance with the machinery directive 2006/42/EC

(according to Annex IIA of the machinery directive)

We declare under our sole responsibility that the above mentioned product(s), with CE marking, comply with the machinery directive 2006/42/EC.

This certificate is only valid for Van Beest BV products, used for fittings for lifting equipment, marked as such.

I certify that the items described herein were tested and thereafter examined and were found to be free from cracks, flaws or other defects.

J.J. Vermeulen (QA-Manager)



General Conditions of Sale as registered with the District Court of Dordrecht on March 12, 2012 under number AL 5/2012.