

# TEST CERTIFICATE

This is to certify that the nominated size and quality of the following SLR product has been inspected and tested with following results.



<b>Customer Sold To:</b>	<b>Order:</b>	68	<b>Test Standard:</b>	EN818.4
HES NZ Ltd 56 Pavilion Drive Airport Oaks Auckland 2022 <i>Batch : SLR 12-1</i>	<b>Invoice:</b>	10514	<b>Certificate No:</b>	SLR11078
	<b>Material:</b>	Grade 80	<b>Works Ref. No:</b>	12/963# - 3
	<b>Date:</b>	19/07/2012	<b>Suppliers Ref #:</b>	JIN120315HESNZ
	<b>Brand</b>	SLR	<b>Colour:</b>	Yellow

Item	Quantity (pcs)	Test Quantity (pcs)	Working Load Limit (ton) / WLL	Standard Breakage Force (ton) / BF	Fact Breakage Force (ton) / BF
SLR-487 WA-S MASTER LINK 87-8	4	1	2.7T	10.8T	11T
SLR-487 WA-S MASTER LINK 108-8	10	1	3.5T	14T	14.2T
SLR-487 WA-S MASTER LINK 1310-8	10	1	5.5T	22T	22.3T
SLR-487 WA-S MASTER LINK 1613-8	10	1	9.4T	37.6T	38T
SLR-487 WA-S MASTER LINK 2016-8	8	1	14.2T	56.8T	57T
SLR-487 WA-S MASTER LINK 2220-8	2	1	22.3T	89.2T	89.5T
SLR-488 WA-S MASTER LINK ASSEMBLY 7-8	10	1	5.5T	22T	22.4T
SLR-488 WA-S MASTER LINK ASSEMBLY 8-8	10	1	6.65T	26.6T	26.9T
SLR-488 WA-S MASTER LINK ASSEMBLY 10-8	10	1	9.4T	37.6T	37.8T
SLR-488 WA-S MASTER LINK ASSEMBLY 13-8	8	1	14.2T	56.8T	57.1T
SLR-488 WA-S MASTER LINK ASSEMBLY 16-8	2	1	22.3T	89.2T	89.3T
SLR-12 CLEVIS SLING HOOK WITH LATCH 6-8	50	1	1.12T	4.48T	4.7T

Item	Quantity (pcs)	Test Quantity (pcs)	Working Load Limit (ton) / WLL	Standard Breakage Force (ton) / BF	Fact Breakage Force (ton) / BF
SLR-12 CLEVIS SLING HOOK WITH LATCH 7/8-8	30	1	2T	8T	8.2T
SLR-12 CLEVIS SLING HOOK WITH LATCH 10-8	20	1	3.15T	12.6T	13T
SLR-12 CLEVIS SLING HOOK WITH LATCH 13-8	10	1	5.3T	21.2T	21.4T
SLR-78 CLEVIS SELF-LOCKING HOOK WITH GRIP 7/8-8	30	1	2T	8T	8.3T
SLR-78 CLEVIS SELF-LOCKING HOOK WITH GRIP 10-8	20	1	3.15T	12.6T	12.8T
SLR-78 CLEVIS SELF-LOCKING HOOK WITH GRIP 13-8	10	1	5.3T	21.2T	21.6T
SLR-270 CLEVIS REEVING LINK 7/8-8	35	1	2T	8T	8.3T
SLR-270 CLEVIS REEVING LINK 10-8	20	1	3.15T	12.6T	13.1T
SLR-270 CLEVIS REEVING LINK 13-8	10	1	5.3T	21.2T	21.5T
SLR-86 CLEVIS SHJORTENING GRAB HOOK 6-8	50	1	1.12T	4.48T	4.6T
SLR-86 CLEVIS SHJORTENING GRAB HOOK 7/8-8	70	2	2T	8T	8.1T、8.3T
SLR-86 CLEVIS SHJORTENING GRAB HOOK 10-8	30	1	3.15T	12.6T	12.8T

Item	Quantity (pcs)	Test Quantity (pcs)	Working Load Limit (ton) / WLL	Standard Breakage Force (ton) / BF	Fact Breakage Force (ton) / BF
SLR-86 CLEVIS SHJORTENING GRAB HOOK 13-8	15	1	5.3T	21.2T	21.4T
SLR-40 SWIVEL HOOK WITH LATCH 7/8-8	20	1	2T	8T	8.3T
SLR-40 SWIVEL HOOK WITH LATCH 10-8	15	1	3.15T	12.6T	13T
SLR-40 SWIVEL HOOK WITH LATCH 13-8	10	1	5.3T	21.2T	21.5T
SLR-40 SWIVEL HOOK WITH LATCH 16-8	3	1	8T	32T	32.2T
SLR-74 EUROPEAN TYPE CONNECTING LINK 6-8	50	1	1.12T	4.48T	4.7T
SLR-74 EUROPEAN TYPE CONNECTING LINK 7/8-8	100	3	2T	8T	8.3T、8.3T、8.5T
SLR-74 EUROPEAN TYPE CONNECTING LINK 10-8	100	3	3.15T	12.6T	13T、13T、12.7T
SLR-74 EUROPEAN TYPE CONNECTING LINK 13-8	50	1	5.3T	21.2T	21.4T
SLR-74 EUROPEAN TYPE CONNECTING LINK 16-8	10	1	8T	32T	32.2T
SLR-106 WELDED HOOK LIGHT TYPE 2T	10	1	2T	10T	10.3T
SLR-106 WELDED HOOK LIGHT TYPE 3.2T	10	1	3.2T	16T	16.1T

Item	Quantity (pcs)	Test Quantity (pcs)	Working Load Limit (ton) / WLL	Standard Breakage Force (ton) / BF	Fact Breakage Force (ton) / BF
SLR-106 WELDED HOOK LIGHT TYPE 5.3T	10	1	5.3T	26.5T	26.7T
SLR-106 WELDED HOOK LIGHT TYPE 8T	4	1	8T	40T	40.2T
SLR-106 WELDED HOOK LIGHT TYPE 12.5T	2	1	12.5T	62.5T	62.8T
SLR-344 FORGED D RING WITH SPRING 1T	50	1	1.12T	4.48T	4.7T
SLR-344 FORGED D RING WITH SPRING 2T	100	3	2T	8T	8.2T、8.1T、8.4T
SLR-344 FORGED D RING WITH SPRING 3T	100	3	3.15T	12.6T	12.9T、12.7T、13T
SLR-344 FORGED D RING WITH SPRING 5T	30	1	5.3T	21.2T	21.3T
SLR-1007 EUROPEAN TYPE SWIVEL SELF-LOCKING HOOK 8-10	12	1	2.5T	10T	10.2T
SLR-1007 EUROPEAN TYPE SWIVEL SELF-LOCKING HOOK 10-10	5	1	4T	16T	16.2T
SLR-1007 EUROPEAN TYPE SWIVEL SELF-LOCKING HOOK 13-10	3	1	6.7T	26.8T	27T

Manufactured, Inspected and Tested for and on behalf of:

42 Clements Avenue Bundoora Vic Aust  
Bundoora Victoria 3083 Australia

**Overall Test Conclusion:**

*Qualified*

Date: 19/7/2012

